

# Maximum Performance (MaP) of Toilet Fixtures

## UNAR High-Efficiency Toilet (HET) Fixtures Sorted by Manufacturer

Note: Compiling this listing is a service of the California Urban Water Conservation Council and the U.S.-Canadian Alliance for Water Efficiency. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	<b>KEY:</b>															
	Flush performance (MaP score)															
		350 grams to 475 grams														
		500 grams and more														
	Type of toilet fixture															
		6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)														
		4-L (1.1-gal) Pressure-assist														
		Gravity-fed														
American Standard	FloWise Compact Cadet 3 EL	2403.128 (one-piece)	1,000	WS	1	3		E						HET		F
American Standard	FloWise Dual Flush EL	2479.216: 3067.216 bowl, 4035.216 tank	900	WS	2	2	*	E		*				HET		F
American Standard	FloWise EL	2073.013: 3018 bowl, 4023.013 tank (this model to be discontinued & replaced by 2073.014)	550		2	3	*	E						HET		F
American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	WS	2	3	*	E						HET		F
Capizzi	Turbo Capizzi EL	0778 bowl, 1278 tank	475		2	-		E						HET		F
Capizzi	Turbo Capizzi High Profile EL	0478 bowl, 1578 tank	500		2	-		E						HET		F
Capizzi	Turbo Capizzi Low Profile EL	0478 bowl, 1513 tank	400		2	-		E						HET		F
Capizzi	Turbo Capizzi Low Profile EL ADA	0441 bowl, 1513 tank	500		2	-		E	*					HET		F
Caroma	Adelaide 270 Cube EL	834000 bowl, 814790 tank	700	WS	2	-	*	E		*				HET		F
Caroma	Adelaide 270 Standard EL	834000 bowl, 814328 tank	700	WS	2	-	*	E		*				HET		F
Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	WS	2	-	*	R		*				HET		F
Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	WS	2	-	*	E		*				HET		F
Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	WS	2	-	*	E	*	*				HET		F
Caroma	Bondi 270 RF ADA	607177 bowl, 726350 tank	550	WS	2	-	*	E	*	*				HET		F
Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	WS	2	-	*	R		*				HET		F
Caroma	Bondi 305 EL	609130 bowl, 726350 tank	350	WS	2	-	*	E		*				HET		F
Caroma	Caravelle 1-Piece EL ADA	989668	800	WS	1	-	*	E	*	*				HET		F
Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	WS	2	-	*	E		*				HET		F
Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	WS	2	-	*	E	*	*				HET		F
Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	500	WS	2	-	*	R		*				HET		F
Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	800	WS	2	-	*	R	*	*				HET		F
Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	WS	2	-	*	E		*				HET		F
Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	650	WS	2	-	*	R		*				HET		F
Caroma	Caravelle One-Piece RF	989646	500	WS	1	-	*	R		*				HET		F
Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	WS	2	-	*	R		*				HET		F
Caroma	Reflections 270 RF	989720: 609159 bowl, 629530 tank	650		2	-	*	R		*				HET		F
Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600		2	-	*	R		*				HET		F
Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	WS	2	-	*	E		*				HET		F
Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	850	WS	2	-	*	E	*	*				HET		F
Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	WS	2	-	*	R		*				HET		F
Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	WS	2	-	*	E	*	*				HET		F
Caroma	Royale 305 EL	609130 bowl, 629530 tank	850	WS	2	-	*	E		*				HET		F

# Maximum Performance (MaP) of Toilet Fixtures

## UNAR High-Efficiency Toilet (HET) Fixtures Sorted by Manufacturer






Note: Compiling this listing is a service of the California Urban Water Conservation Council and the U.S.-Canadian Alliance for Water Efficiency. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)											
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity													
<b>KEY:</b> Flush performance (MaP score) <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div style="background-color: #ffff00; width: 100px; height: 15px;"></div> 350 grams to 475 grams  <div style="background-color: #ffcc99; width: 100px; height: 15px;"></div> 500 grams and more                 </div> Type of toilet fixture <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div style="background-color: #ffccff; width: 100px; height: 15px;"></div> 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)  <div style="background-color: #ccffcc; width: 100px; height: 15px;"></div> 4-L (1.1-gal) Pressure-assist  <div style="background-color: #ffffff; width: 100px; height: 15px;"></div> Gravity-fed                 </div>																											
Caroma	Royale 305 RF	609151 bowl, 624530 tank	600	WS	2	-	*	R		*			HET			F											
Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	WS	2	-	*	E		*			HET			F											
Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	WS	2	-	*	E	*	*			HET			F											
Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	WS	2	-	*	E		*			HET			F											
Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	WS	2	-	*	E	*	*			HET			F											
Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	WS	2	-	*	E		*			HET			F											
Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	WS	2	-	*	R		*			HET			F											
Caroma	Sydney Smart 305 RF (1.28-gpf-0.8-gpf dual flush)	609151A bowl, 622322 tank	650	WS	2	-	*	R					HET			F											
Caroma	Tasman 270 RF	989860: 609169 bowl, 800032 tank	550		2	-	*	R		*			HET			F											
Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	WS	2	-		E		*			HET			F											
Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	WS	2	-		R		*			HET			F											
Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	WS	2	-		R		*			HET			F											
Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	2	3		R						HET		F											
Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	350	WS	2	3		R						HET		F											
Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	WS	2			E		*			HET			F											
Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	WS	2			R		*			HET			F											
Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	WS	2	-		E		*	*		HET			F											
Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	WS	2	-		E	*	*	*		HET			F											
Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000		2	-		E		*	*			HET		F											
Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000		2	-		E		*	*			HET		F											
Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000		2	-		E	*	*	*			HET		F											
Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	WS	2	-		E						HET		F											
Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	WS	2	-		E	*					HET		F											
Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	WS	2	-		R						HET		F											
Crane	Economiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	WS	2			R					HET			F											
Crane	Economiser One EL	31945: 3825 bowl, 31612 tank	1,000		2	-		E						HET		F											
Crane	Economiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000		2	-		E	*					HET		F											
Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000		2	-		R						HET		F											
Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800		2	-		E						HET		F											
Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800		2	-		E	*					HET		F											
<b>FERGUSON - SEE PRO-FLO</b>																											

# Maximum Performance (MaP) of Toilet Fixtures

## UNAR High-Efficiency Toilet (HET) Fixtures Sorted by Manufacturer






Note: Compiling this listing is a service of the California Urban Water Conservation Council and the U.S.-Canadian Alliance for Water Efficiency. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity			
<b>KEY:</b> Flush performance (MaP score)  350 grams to 475 grams  500 grams and more  Type of toilet fixture  6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)  4-L (1.1-gal) Pressure-assist  Gravity-fed																	
Foremost	None - EL ADA	AIO1000-EW	350	WS	2			E	*	*			HET			F	
Foremost	None - RF	TT-2010-WL: LL-2010 bowl, T-2010 tank (lined)	600	WS	2	2.5		R		*			HET			F	
Foremost	None - RF ADA	AIO1000-RW	350	WS	2			R	*				HET			F	
Foremost	None EL ADA	TL-7600HC-HET-Y: LL-7600HC-HET bowl, T-7600-HET tank	400	WS	2			E	*	*				HET		F	
Foremost	Plaza	TL-7107-WL: T7107 bowl, LL-7107 tank	550	WS	2	-				*			HET			F	
Foremost (for Home Depot)	None EL ADA	BT6001 (Glacier Bay Home Depot SKU 331-725)	350	WS	2			E	*	*				HET		F	
Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	350	WS	2	-		E			*		HET		R	F	
Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	WS	2	-		E			*		HET			F	
Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	WS	2	-		E			*		HET			F	
Gerber	Ultra Dual Flush EL ADA	DF 21-318: 21-377 bowl, DF-28-380 tank	1,000	WS	2	-		E	*		*		HET			F	
Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	WS	2	-		E	*		*		HET			F	
Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	WS	2	-		E	*		*		HET		R	F	
Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF 21-319: 21-329 bowl, DF-28-390 tank	1,000	WS	2	-		E	*		*		HET			F	
Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	WS	2	-		R			*		HET			F	
Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	WS	2	-		R			*		HET			F	
Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	350	WS	2	-		E						HET		R	F
Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	WS	2	-		E	*					HET		F	
Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	WS	2	-		E	*					HET		F	
Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	WS	2	-		E	*					HET		F	
Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	WS	2	-		E	*					HET		F	
Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	WS	2	-		E	*					HET		R	F
Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-390 tank	800	WS	2	-		E	*					HET		F	
Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	WS	2	-		R						HET		F	
Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	WS	2	-		R						HET		F	
Home Depot - Glacier Bay (by Foremost)	None	SKU 331-725 (Foremost Model BT6001)	350	WS										HET		F	
Home Depot - Pegasus	Tulip EL (See Vortens-Lamosa)	SKU 477-546: 3107 bowl, 3427 tank	400	WS	2	-	*	E		*			HET			F	
Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless)	N2228: N2228B bowl, N2228T tank. Sold combined as Home Depot SKU 840-565	350	WS	2	-	*	E						HET		F	
Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Sold combined as Home Depot SKU 331-725	800	WS	2	-	*	E	*					HET		F	
Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	350	WS	2	-		E			*			HET		R	F

# Maximum Performance (MaP) of Toilet Fixtures

## UNAR High-Efficiency Toilet (HET) Fixtures Sorted by Manufacturer






Note: Compiling this listing is a service of the California Urban Water Conservation Council and the U.S.-Canadian Alliance for Water Efficiency. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
<b>KEY:</b> Flush performance (MaP score)  350 grams to 475 grams  500 grams and more  Type of toilet fixture  6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)  4-L (1.1-gal) Pressure-assist  Gravity-fed																
Kohler	Cimarron Eco-Smart EL ADA	K-3496-HE: 4286 bowl, 4634-HE tank	800	WS	2	3		E	*							F
Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	350	WS	2	-		E		*			HET			F
Kohler	San Raphael Power Lite EL	K-3398 Power-Assisted (DISCONTINUED MODEL-replaced by K-3393)	850		1	-	*	E			*		HET			F
Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	WS	1	-	*	E	*		*-at 1.4 g		HET			F
Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	350	WS	1	-	*	E	*				HET			F
Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	WS	2	2	*	E		*			HET			F
Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	WS	2	2	*	R		*			HET			F
Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	WS	2	-	*	E		*			HET			F
Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	350	WS	2	-	*	R		*			HET			F
Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	350	WS	2	-	*	E		*			HET			F
Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	WS	2	-		E						HET		F
Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	WS	2	-	*	E	*					HET		F
Mancosa	Cyclone 4 EL	2282 bowl, 2281 tank	650		2	-		E						HET		F
Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	WS	2	-		E			*		HET			F
Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	WS	2	-		E			*		HET		R	F
Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	WS	2	-		E	*		*		HET			F
Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	WS	2	-		R			*		HET			F
Mansfield	None - EL	144 bowl, 119 tank	1,000	WS	2	-		E	*		*		HET		R	W
Mansfield	None - EL	144 bowl, 153 tank	900	WS	2	-		E	*					HET	R	W
Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	WS	2	-		E						HET		F
Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	WS	2	-		E						HET	R	F
Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	WS	2	-		E	*					HET		F
Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	WS	2	-		R						HET		F
Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Also sold as Home Depot SKU 331-725	800	WS	2	-	*	E	*						HET	F
Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (note that tank and bowl model nos. are identical to those of the older Flapperless RF HET)	500	WS	2	-		R							HET	F
Niagara	Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot SKU 840-565	350	WS	2	-	*	E							HET	F
Niagara	None	N2310: 2310B bowl, 2310T tank	350	WS	2	-									HET	F
Niagara	None EL	N4418 (one piece)	500		1	-	*	E							HET	F

# Maximum Performance (MaP) of Toilet Fixtures

## UNAR High-Efficiency Toilet (HET) Fixtures Sorted by Manufacturer

Note: Compiling this listing is a service of the California Urban Water Conservation Council and the U.S.-Canadian Alliance for Water Efficiency. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
<b>KEY:</b> Flush performance (MaP score)  350 grams to 475 grams  500 grams and more  Type of toilet fixture  6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)  4-L (1.1-gal) Pressure-assist  Gravity-fed																
Niagara	None EL ADA	N4417: N4417 bowl, N4415T tank	350		2	-	*	E	*						HET	F
Peerless Pottery (by Capizzi)	Predator EL ADA	608 bowl, 1 tank	500		2	-		E	*						HET	F
Peerless Pottery (by Capizzi)	Predator Low Profile EL	606 bowl, 1 tank	400		2	-		E							HET	F
Pro-Flo (by Tynan for Ferguson)	Cascade EL	PF9301 bowl; PF9312 tank	400	WS	2	2		E		*					HET	F
Pro-Flo (by Tynan for Ferguson)	Cascade EL ADA	PF9304 bowl; PF9312 tank	450	WS	2	2		E	*	*					HET	F
Pro-Flo (by Tynan for Ferguson)	Cascade RF	PF9300 bowl; PF9312 tank	500	WS	2	2		R		*					HET	F
Pro-Flo (by Tynan for Ferguson)	MacLair EL	PF9401 bowl; PF9412 tank	850	WS	2	3		E							HET	F
Pro-Flo (by Tynan for Ferguson)	MacLair RF	PF9400 bowl; PF9412 tank	900	WS	2	3		R							HET	F
<b>STERLING - SEE KOHLER</b>																
Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	WS	2	2		E		*					HET	F
Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500		2	3		E	*						HET	F
Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700		2	3		E	*						HET	F
Toto	EcoDrake EL	CST744E: C744E bowl, ST743E tank	600	WS	2	3		E							HET	F
Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	WS	2	3		E	*						HET	F
Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	WS	2	3		R							HET	F
Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	WS	2	3		E	*						HET	F
Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	WS	1	3		E							HET	F
Toto	EcoSupreme RF	CST863E OR MS863113E OR MW863***E	350	WS	1	3		E							HET	F
Toto	EcoUltramax EL	CST854E OR MS854114E OR MW854***E	500	WS	1	3		E							HET	F
Toto	EcoUltramax EL ADA	CST854EL OR MS854114EL OR MW854***EL	500	WS	1	3		E	*						HET	F
Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	WS	1	3		R							HET	F
Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700		2	3		E	*						HET	F
Toto	Gwyneth EL ADA	CST604CEF (one-piece)	500		1	3		E	*						HET	F
Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	WS	2	2		E		*					HET	F
Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	WS	2	2		E	*	*					HET	F
Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	WS	2	2		R		*					HET	F
Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	2	3		E							HET	F
Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	2	3		R							HET	F
Vitra	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	WS	2	-	*	E	*						HET	F
Vitra	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	WS	2	2		E	*	*					HET	F
Vitra	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	WS	2	-	*	R		*					HET	F
Vitra	EverGreen EL ADA	5195 bowl, 5402 tank	600	WS	2	2		E	*						HET	F

# Maximum Performance (MaP) of Toilet Fixtures

## UNAR High-Efficiency Toilet (HET) Fixtures Sorted by Manufacturer

Note: Compiling this listing is a service of the California Urban Water Conservation Council and the U.S.-Canadian Alliance for Water Efficiency. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
<b>Vitra</b>	EverGreen RF ADA	5196 bowl, 5402 tank	800	WS	2	2		R	*							F
<b>Vortens-Lamosa</b>	Dali EL	5101 bowl, 5201 tank	350	WS	2			E		*			HET			F
<b>Vortens-Lamosa</b>	Delfos	3130	350	WS	1					*			HET			F
<b>Vortens-Lamosa</b>	Pegasus Tulip EL (Home Depot brand)	3107 bowl, 3427 tank (HD SKU 477-546)	400		2	-	*	E		*			HET			F
<b>Vortens-Lamosa</b>	Rhodas EL ADA (HET)	3123 bowl, 3436 or 3433 tank	550	WS	2	-	*	E	*	*			HET			F
<b>Vortens-Lamosa</b>	Rhodas EL ADA (HET)	3123V bowl, 3436V tank	1,000	WS	2	-	*	E	*	*			HET			F
<b>Vortens-Lamosa</b>	Tornado EL	3138 bowl, 3468 tank	700	WS	2	-		E						HET		F
<b>Vortens-Lamosa</b>	Tornado EL ADA	3134 bowl, 3468 tank	1,000	WS	2	-		E	*					HET		F
<b>Vortens-Lamosa</b>	Vienna RF	3208 bowl, 3436V tank	600		2	2		R		*			HET			F
<b>Vortens-Lamosa</b>	Vienna RF Dual Flush	3208 bowl, 3420 tank	375		2	-	*	R		*			HET			F
<b>Western Pottery</b>	Wrangler One EL	B432 PF: 432 PF bowl, ULF-T4 tank	1,000		2	-		E						HET		F
<b>Zurn</b>	EcoVantage Dual Flush EL	Z5572	800		2	-	*	E			*		HET			F
<b>Zurn</b>	EcoVantage Dual Flush EL ADA	Z5562	1,000		2	-	*	E	*		*		HET			F
<b>Zurn</b>	EcoVantage EL	Z5571	800		2	-	*	E						HET		F
<b>Zurn</b>	EcoVantage EL ADA	Z5561	1,000		2	-	*	E	*					HET		F

RF – Round-front toilet bowl

EL – Elongated-front toilet bowl

S - Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense